

APP CRS
256°

Rwy Idg
TDZE
Apt Elev

5660
48
60

RNAV (RNP) RWY 26R
LONG BEACH/DAUGHERTY FIELD (LGB)

RNP AR APCH. RF required.


▼

▲

For uncompensated Baro-VNAV systems, procedure NA below 4°C (40°F) or above 54°C (130°F).

MISSED APPROACH: Climb to 800 then climbing left turn to 3000 direct PADDR and hold.

ATIS 127.75	SOCAL APP CON 125.35 316.125	LONG BEACH TOWER★ 120.5 257.6 (Rwy 12) 119.4 (CTAF) 0 257.6 (Rwy 30)	GND CON 133.0 257.6	CLNC DEL 118.15	UNICOM 122.95
-----------------------	--	---	-------------------------------	---------------------------	-------------------------



800

3000

PADDR

VGSI and RNAV glidepath not coincident (VGSI Angle 3.10/TCH 62).

BUCAS

CASIV

JILAN

LUCIG

256°

301°

2800

3000

GP 3.00° TCH 55

2 NM

4.2 NM

2.3 NM

3.5 NM

CATEGORY	A	B	C	D
RNP 0.15 DA		320-1	272 (300-1)	
RNP 0.30 DA		415-1¼	367 (400-1¼)	

AUTHORIZATION REQUIRED

ELEV 60 TDZE 48

TDZ/CL Rwy 30
HIRL Rwy 12-30
HIRL Rwy 8R-26L
MIRL Rwy 8L-26R
REIL Rwy 8R, 12, 26L, and 26R