

APP CRS  
071°

Rwy Idg 11095  
TDZE 128  
Apt Elev 128

RNAV (RNP) Z RWY 7R  
LOS ANGELES INTL (LAX)

For uncompensated Baro-VNAV systems, procedure NA below 5°C (41°F) or above 54°C (130°F). For inop MALSR, increase RNP 0.11 all Cats visibility to RVR 4500. Simultaneous approach authorized.

MALSR

MISSED APPROACH: Climb to 3000 on track 071° to ESINE and on track 071° to DOWNE and hold.

D-ATIS ARR 133.8 DEP 135.65	SOCAL APP CON 124.3 363.2 124.9 269.0 124.5 235.975 128.5 360.7 (225°-044°) (090°-224°) (045°-089°)	LOS ANGELES TOWER N 133.9 239.3 S 120.95 379.1	GND CON N 121.65 327.0 S 121.75 327.0 W 121.4 327.0	CLNC DEL 120.35 327.0	CPDLC
-----------------------------------	--	--	--	-----------------------------	-------

Diagram illustrating the RNP Z RWY 7R procedure. Key features include:

- Waypoints and Altitudes:** WAKER (5600), KILUE (2600), JJONN (2600), TIMSE (2300), JAAKI (2300), FUMBL (1800), VICUG (4700), WNDFL (6000), ESINE (293), DOWNE (250).
- Angles and Distances:** 142° (3), 106° (9.6), 064° (5.6), 071° (5), 071° (4.3), 071° (5.1), 071° (5.9), 250°.
- Obstacles:** 2824, 2908, 2126, 866, 649, 299, 293, 587, 1027.
- Missed Approach:** DOWNE 250°, 070°, 4 NM, 1387.
- Procedure Notes:** Procedure NA for arrivals at EXERT on V25 westbound and V27 northwest bound. RADAR required for procedure entry at WNDFL.

MSA R W07R 25 NM  
7700

GPS REQUIRED

ELEV 128  
D TDZE 128

VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 57).

3000  
↑  
tr 071°

ESINE  
✧

tr 071°

DOWNE  
△

JAAKI  
2300

FUMBL  
1800

RW07R

GP 3.00°  
TCH 60

1.7 NM

5.1 NM

CATEGORY	A	B	C	D
RNP 0.11 DA	414/24 286 (300-½)			
RNP 0.30 DA	538/45 410 (500-¾)			

AUTHORIZATION REQUIRED

TDZ/CL Rwy 6R, 7L, 24R, and 25L  
HIRL all Rwys

LOS ANGELES, CALIFORNIA  
Amdt 1 10NOV16

33°57'N-118°24'W

LOS ANGELES INTL (LAX)  
RNAV (RNP) Z RWY 7R