


OXNARD, CALIFORNIA

ILS Z or LOC/DME RWY 21

LOC/DME I-RRG 109.3 Chan 30	APCH CRS 212°	Rwy Idg 11,102 TDZE 13 Arpt Elev 13
------------------------------------------	-------------------------	----------------------------------------------------------------


AL-925 [USN]

POINT MUGU NAS
(NAVAL BASE VENTURA CO)(KNTD)

⚠ * When ALS inop, increase vis CAT ABCD to ¾ mile. ** When ALS inop, increase vis CAT AB to 1 mile, CAT CD vis to 1½ miles. *** Circling not authorized E of Rwy 3-21.	MALSR 	MISSED APPROACH: Climb to 500 via hdg 212°, then climbing right turn to 3000 via hdg 247°, then climbing right turn to 5000 direct CMA VOR/DME, then via CMA R-071 to CIELO and hold.
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ATIS ★ 125.55 363.05	POINT MUGU APP CON 128.65 307.275	POINT MUGU TOWER ★ 124.85 290.375	GND CON 121.6 360.2	CLNC DEL 120.75 279.55	ASR/ PAR
--------------------------------	---------------------------------------------	---------------------------------------------	-------------------------------	----------------------------------	-------------

CAUTION: WCH for B-747/DC-10/C-17 type aircraft 17' AGL.
CAUTION: DME based on NTD TACAN Chan 43.



DME or RADAR REQUIRED
EMERG SAFE ALT 100 NM 12,100

500 hdg 212°	3000 hdg 247°	5000 CMA		
NTD TACAN	NEWAR 1.2	CMA R-147 WINIE 3.2		
		CMA R-071 CIELO 8		
		YAGIS 9.7		
		FELMI 11.7		
		TROYE 13.7		
		4300		
		3400		
		2800		
		2400		
		840		
		2400		
		GS 3.00° TCH 46		
.5 NM 2 NM 4.7 NM				
CATEGORY	A	B	C	D
SHLS 21 *	213-½ 200 (200-½)			
S-LOC 21 **	420-½	407 (500-½)	420-¾	407 (500-¾)
CIRCLING ***	440-1	480-1	480-1½	580-2
	427 (500-1)	467 (500-1)	467 (500-1½)	567 (600-2)

