

## HI-TACAN RWY 31 L/R

TACAN NFL  
Chan 82APCH CRS  
297°Rwy Idg  
TDZE31L 14,001  
31L 3927  
31R 11,076  
31R 3928

JAL-143 [USN]

FALLON NAS (VAN VOORHIS FLD) (KNFL)



† MISSED APPROACH: Climb direct NFL TACAN, then climbing right turn to 9000. Intercept NFL R-022 outbound to PILOW and hold. Missed approach requires minimum climb of 285 ft/NM to 9000.


ATIS ★  
370.925NAVY FALLON APP CON  
120.85 360.2NAVY FALLON TOWER★  
119.25 340.2GND CON  
251.15CLNC DEL  
353.55

ASR/PAR

† CAUTION: Missed Approach  
Minimum Climb Rate to 9000

Knots	60	120	180	240	300	360
V/V(fpm)	285	570	855	1140	1425	1710


ATC Minimum Climb Rate



EMERG SAFE ALT 100 NM 15,600



DA (3.36/3.38) not coincident  
with the VGSI.



CATEGORY	C	D	E
S-31L	4240-1	313	(400-1)
S-31R	4240-1	312	(400-1)
CIRCLING	4700-2 1/4 765 (800-2 1/4)	4920-3 985 (1000-3)	4980-3 1045 (1100-3)

ELEV 3935

TDZE 31L 3927  
TDZE 31R 3928