

LOC I-PGQ <b>110.1</b>	APP CRS <b>165°</b>	Rwy Idg <b>10518</b> TDZE <b>100</b> Apt Elev <b>100</b>
---------------------------	------------------------	----------------------------------------------------------------

ILS or LOC RWY 16

PORTSMOUTH INTL AT PEASE (PSM)

⚠

\*\*RVR 1800 authorized with use of FD or AP or HUD to DA. Circling NA East of Rwy 16-34. For inoperative MALS, increase S-ILS Cat E visibility to RVR 4000 and S-LOC 16 Cat E visibility to 1 1/2 SM. CARAY Fix Minimums: For inoperative MALS, increase S-LOC 16 Cat E visibility to RVR 6000.

MALS

MISSED APPROACH: Climb to 3000 on PSM VOR/DME R-164 to IDEED INT/PSM VOR/DME 12.3 DME and hold.

ASR

ATIS <b>132.05 273.5</b>	BOSTON APP CON <b>125.05 269.4</b>	PORTSMOUTH TOWER <b>128.4 269.0</b>	GND CON <b>120.95 275.8</b>	CLNC DEL <b>335.8</b>	UNICOM <b>122.95</b>
-----------------------------	---------------------------------------	----------------------------------------	--------------------------------	--------------------------	-------------------------

One Minute Holding Pattern		ITAWA INT PSM 12	PUDYE INT PSM 6/RADAR	3000	IDEED INT
3000		345°	165°	165°	2000
GS 3.00° TCH 55		6 NM	4.4 NM	1.3 NM	
CATEGORY	A	B	C	D	E
S-ILS 16	** 300/24 200 (200-1/2)				
S-LOC 16	540/24	440 (500-1/2)	540/40 440 (500-3/4)	540/50	440 (500-1)
CIRCLING	540-1 440 (500-1)	560-1 460 (500-1)	560-1 1/2 460 (500-1 1/2)	680-2 580 (600-2)	800-2 1/2 700 (700-2 1/2)
CARAY FIX MINIMUMS					
S-LOC 16	460/24	360 (400-1/2)	460/40	360 (400-3/4)	
CIRCLING	480-1 380 (400-1)	560-1 460 (500-1)	560-1 1/2 460 (500-1 1/2)	680-2 580 (600-2)	800-2 1/2 700 (700-2 1/2)

PORTSMOUTH, NEW HAMPSHIRE

Amtd 2A 02MAR17

PORTSMOUTH INTL AT PEASE (PSM)

ILS or LOC RWY 16

43°05'N-70°49'W