

WAAS CH <b>65606</b> <b>W14A</b>	APP CRS <b>138°</b>	Rwy Idg <b>6000</b> TDZE <b>5</b> Apt Elev <b>6</b>
--	------------------------	---

RNAV (GPS) RWY 14  
SCHOLES INTL AT GALVESTON (GLS)

**T** Baro-VNAV and VDP NA when using William P Hobby altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below 1°C (34°F) or above 54°C (130°F). Circling NA east of Rwy 18 and northeast of Rwy 32. DME/DME RNP-0.3 NA. When local altimeter setting not received, use William P Hobby altimeter setting and increase all DA 79 feet and all MDA 80 feet. Increase LNAV/VNAV all Cats visibility to ¾ mile, LNAV Cats C/D/E visibility to 1 mile, and Circling Cat E visibility to 2½ mile. For inop MALSR, increase LPV Cat E visibility to ¾, LNAV/VNAV Cat E visibility to 1½, and LNAV Cat E visibility to 1¾ mile. For inop MALSR when using William P Hobby altimeter setting, increase LPV all Cats visibility to ¾ mile, LNAV Cat E visibility to 1½ mile.

MALSR



**MISSED APPROACH:**  
Climb to 1200 then  
climbing right turn to  
3000 direct DELVE  
and hold.

ASOS <b>119,275</b>	HOUSTON APP CON <b>134.45 284.0</b>	<b>GALVESTON TOWER ★</b> <b>120.575 (CTAF) 0</b>	GND CON <b>118,625</b>	CLNC DEL <b>135.35</b> (When twr closed)	UNICOM <b>123.05</b>
------------------------	--	---	---------------------------	--	-------------------------

## RADAR REQUIRED

