

⚠

DME/DME RNP-0.3 NA. When local altimeter setting not received, use Waycross altimeter setting and increase all DA 59 feet and all MDA 60 feet, increase LPV visibility all Cats, LNAV/VNAV all Cats ¼ mile, and LNAV and Circling Cat C/D visibility ¼ mile. Baro-VNAV and VDP NA when using Waycross altimeter setting. Helicopter visibility reduction below ¾ SM NA. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C (5°F) or above 54°C (130°F).

MISSED APPROACH:

Climb to 2000 direct DEXBU and hold.

AWOS-3 118.725	VALDOSTA APP CON★ 126.6 285.6	CTAF 122.9 0
-------------------	----------------------------------	-----------------

MISSED APCH FIX

4 NM

141°

321°

DEXBU

Procedure NA for arrival at AYS VORTAC on V243 and T207 northwest bound.

WAYCROSS
AYS

3000

(18.1)

RW32

373

628

372

592

(FAF)
SOSRE

2000

321°

(6)

(IF/IAF)
ZUGSU

2000 NoPt

241°

(5.5)

(IAF)
JUSUP

4 NM

321°

141°

MSA RW32 25 NM

2300

(IAF)
INIGE

2000 NoPt

242°

(5.5)

3000

348°

(21.1)

TAYLOR
TAY

Procedure NA for arrival at TAY VORTAC on V198 eastbound and T204 southwest bound.

ELEV 187	TDZE 186
----------	----------

2000

DEXBU

VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 40).

4 NM Holding Pattern

* LNAV only.

RW32

4999 X.75

321° to RW32

1.4 NM

4.1 NM

6 NM

SOSRE

2000

ZUGSU

2000

321°

141°

2000

GP 3.00° TCH 60

CATEGORY	A	B	C	D
LPV DA	497-1 311 (400-1)			
LNAV/VNAV DA	674-1½ 488 (500-1½)			
LNAV MDA	680-1 494 (500-1)	680-1¾ 494 (500-1¾)		
CIRCLING	680-1 493 (500-1)	740-1 553 (600-1)	940-2¼ 753 (800-2¼)	940-2½ 753 (800-2½)

HOMERVILLE, GEORGIA

Amdt1 25JUN15

31°03'N-82°46'W

RNAV (GPS) RWY 32

HOMERVILLE (HOE)

SE-4, 31 DEC 2020 to 28 JAN 2021